



Docket No. MCP0296

B  
Pfw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Harry S. Sowden, et al.  
Appln. No. : 09/966,450 Art Unit: 1615  
U. S. Filing Date: September 28, 2001 Examiner: Susan T. Tran  
Title : SYSTEMS, METHODS AND APPARATUSES FOR  
MANUFACTURING DOSAGE FORMS

I hereby certify that this correspondence is being deposited with the  
United States Postal Service as first class mail in an envelope addressed  
to: Mail Stop Issue Fee, Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

August 24, 2004

(Date of Deposit)

DAVID R. CRICHTON

(Name of applicant, assignee, or Registered Representative)

  
(Signature)

August 24, 2004

(Date of Signature)

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

COMMUNICATION


Dear Sir:

In furtherance of the Notice of Drawing Inconsistency with  
Specification mailed on August 12, 2004, Applicants were  
contacted by a representative of the United States Patent and  
Trademark Office.

During that conversation, amendments were made in the  
specification to conform with the drawings of record.  
Applicants believe nothing further is required for responding  
to the pending notice.

Any further inquiries or questions should be directed to  
the undersigned Attorney of Record.

Respectfully submitted,



DAVID R. CRICHTON  
Reg. No. 37,300  
Attorney for Applicants

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-6131  
DATED: August 24, 2004